

Fiber Zone Box

4 CCH-style panels or Plug & Play™ Systems modules

CORNING

Corning fiber zone box is a cabling infrastructure distribution facility for passive applications in zone cabling. It is ideal for interconnect or crossconnect points in data center zone or horizontal LAN distribution areas. Sized to fit a 2 x 2 ft drop ceiling or subfloor opening, it can also be mounted to a wall and is equipped with a seal to inhibit dust and liquid penetration. The box accepts up to 12 LANscape® solutions CCH connector panels, modules or splitter modules for LC duplex, SC, SC duplex, FC, ST® compatible and MTP® connector fiber termination and distribution as well as up to 24 buffer tube fan-out kits.

Corning fiber zone box (FZB-04P) is a smaller alternative to the flagship FZB-04U. Ideal for installations up to 96 fibers, the FZB-04P manages four CCH panels or Plug & Play™ systems modules. The FZB-04P can be mounted vertically or horizontally. When mounted vertically, the adapter plane of the panels or modules faces up toward the installer. This creative design element significantly increases the installer's and end user's ease-of-use for initial installation as well as moves, adds and changes. Strain-relief is an important aspect of all housings, particularly when placed in a sub-floor environment. The FZB-04P comes equipped with integrated strain-relief for Corning Plug & Play systems trunk plugs as well as the universal cable clamp (UCC) for standard installations. From installation to daily maintenance, the FZB015004P is a convenient, easy-to-use product designed with the installer in mind.

Features and Benefits

Removable backplate

Eases installation

Robust lock

Additional security

UL-Listed to United States and Canadian standards, NEMA 1, 2, 5, 12K rated

Safety

Includes 4U of 19-in rack space

Copper and fiber options

Multiposition bulkhead

Dramatically increases ease of use in subfloor/overhead applications



Fiber Zone Box (shown with 24-fiber LC duplex adapter CCH panels) | Photo LAN1465



Fiber Zone Box (FZB-04P) | Photo LAN1408

Fiber Zone Box

4 CCH-style panels or Plug & Play™ Systems modules

CORNING

Standards

Approvals and Listings UL-Listed to the United States and Canadian safety standards, NEMA, 1, 2, 5, 12K rated

Specifications

General Specifications	
Application	Enterprise Networks, Data Center
Mounting Type	Wall-Mountable, Ceiling mount, Floor mount
Product Type	Wall-Mountable Hardware

Design - Hardware	
Housing Type	FZB

Mechanical Characteristics	
Dimensions (HxWxD)	10.1 cm x 45.7 cm x 32 cm (4 in x 18 in x 12.6 in)

Ordering Information

Part Number	FZB-04P
Product Description	Fiber Zone Box designed to accommodate 4 CCH-style panels or Plug & Play™ Systems modules
EAN Code	4056418193397

Shipping Information

Units per Delivery	1/1
Shipping Weight	15 lb (6.8 kg)

Fiber Zone Box

4 CCH-style panels or Plug & Play™ Systems modules

CORNING

Notes



Corning Optical Communications LLC • PO Box 489 • Hickory, NC 28603-0489 USA

800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/opcomm

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/trademarks.

All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified.

© 2016 Corning Optical Communications. All rights reserved.

CORNING