

Pretium® Wall-Mountable Housing (PWH)

Holds 2 CCH connector panels

CORNING

The Pretium® wall-mountable housings (PWH) are available in one, two, four, six and 12 panel/module configurations. Combined with the modules, panels, harnesses, trunks and jumpers, they provide a tip-to-tip solution for your fiber optic network.

Features and Benefits

Rugged metal construction

Durability

Drop-down front door

Allows for temporary workshelf

Jumper routing guides

Easy fiber management

Interconnect and cross-connect capabilities


Variety of applications

Field-installable lock kit (optional)


Additional security

Splice tray holder (optional)

Easier field splicing



Pretium Wall-Mountable Housing (PWH) | Photo LAN763



Part Number: PWH-02P

CORNING

Pretium® Wall-Mountable Housing (PWH)

Holds 2 CCH connector panels

CORNING

Specifications

General Specifications

Application	Enterprise Networks
Mounting Type	Wall-Mountable
Product Type	Wall-Mountable Hardware

Design - Hardware

Housing Color	Gray
Housing Type	PWH
Locking Availability	Provider door
Number of Panels per Housing	2
Panel or Module Type	CCH
Splice Tray Options	(4) .2-in-thick (2R) or (2) .4-in-thick (4R)

Mechanical Characteristics

Dimensions (W x D x H)	444.5 mm x 101.6 mm x 238.76 mm (17.5 in x 4 in x 9.4 in)
------------------------	---

Ordering Information

Part Number	PWH-02P
Product Description	Pretium® Wall-Mountable Housing (PWH), holds two CCH connector panels
EAN Code	4056418191805

Shipping Information

Units per Delivery	1/1
Packaging Dimensions (W x D x H)	543.05 mm x 387.35 mm x 234.95 mm (21.38 in x 15.25 in x 9.25 in)
Shipping Weight	5 kg (11 lb)
Package Contents	Housing; installation guide; 2 blank panels; unit ID label; self-adhesive edge grommet 15-in; central strength member strain-relief kit; 3 1/8 x 4-in tie wraps

CORNING

Pretium® Wall-Mountable Housing (PWH)

Holds 2 CCH connector panels

The Corning logo consists of a solid blue square with the word "CORNING" in white, uppercase, sans-serif font centered within it.

CORNING

Notes

Corning Optical Communications LLC • PO Box 489 • Hickory, NC 28603-0489 USA

800-743-2675 • FAX: 828-325-5060 • International: +1-828-901-5000 • www.corning.com/opcomm

A complete listing of the trademarks of Corning Optical Communications is available at www.corning.com/opcomm/trademarks.

All other trademarks are the properties of their respective owners. Corning Optical Communications is ISO 9001 certified.

© 2016 Corning Optical Communications. All rights reserved.